danair

REFRIGERATION EQUIPMENT

Intertek

Intertek

GOADL.COM

PRODUCT GUIDE 2024

TABLE OF CONTENTS

MERCHANDISING SWING GLASS DOOR REFRIGERATOR – NRJ SERIES p.04

MERCHANDISING SLIDING GLASS DOOR REFRIGERATOR – NRJ SERIES p.05

MERCHANDISING SWING GLASS DOOR REFRIGERATOR – NRJ SERIES p.06

MERCHANDISING SWING GLASS DOOR FREEZER – NRJ SERLES p.07

REACH-IN SOLID DOOR REFRIGERATOR – SDC SERIES p.08

REACH-IN SOLID DOOR FREEZER – SDF SERIES p.09

SANDWICH/ SALAD PREP TABLE – PRT SERIES p.10

SANDWICH/ SALAD PREP TABLE – PRT SERIES p.11

MEGA TOP SANDWICH/SALAD PREP TABLE – PRTM SERIES p.12

MEGA TOP SANDWICH/SALAD PREP TABLE – PRTM SERIES p.13

PIZZA PREP TABLE – PIZ SERIES p.14

CHEF BASE REFRIGERATOR – BR SERIES p.15

UNDERCOUNTER REFRIGERATOR – TUCR SERIES p.16

UNDERCOUNTER REFRIGERATOR – TUCR SERIES p.17

UNDERCOUNTER FREEZER – TUCF SERIES p.18

BACK BAR COOLER – 24" DEPTH GLASS DOOR SERIES p.19

TABLE OF CONTENTS

BACK BAR COOLER – 24" DEPTH GLASS DOOR SERIES p.20

BACK BAR COOLER – 24" DEPTH SOLID DOOR SERIES p.21

BACK BAR COOLER – 24" DEPTH SOLID DOOR SERIES p.22

DIRECT DRAW BEER DISPENSER – 27" DEPTH LIDB SERIES..... p.23

REFRIGERATED DELI CASE – PAT SERIES..... p.24

DIPPING CABINET – GC SERIES p.25

CAKE DISPLAY CASE – CD SERIES p.26

CAKE DISPLAY CASE – CD SERIES p.27

MERCHANDISING SWING GLASS DOOR REFRIGERATOR – NRJ SERIES

R290
ECO Friendly

- **Interior:** Attractive aluminum liner with stainless steel floor.
- **Exterior:** Black or white coated steel.
- **Refrigeration system.**
  Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Self-Closing double pane glass door** with positive seal.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **LED interior lighting.**
- **Electronic control system.**
  Makes it easy to adjust temperature set point and defrost frequency.
- **Leveling feet or casters are available.**
- **Removable installation board.**
  Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.**
  Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- **Very low energy comsumption.**

GDC-1-22-HC

DOORS	1
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	21 5/8 x 21 5/8 x 63 550 x 550 x 1600
CAPACITY cu.ft (liters)	9.1 258
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1395.00$

GDC-1-26-HC

DOORS	1
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	26 x 25 3/5 x 80 3/8 660 x 665 x 2040
CAPACITY cu.ft (liters)	14 368
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1595.00$

GDC-1-29-HC

DOORS	1
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	28 3/8 x 31 7/8 x 79 3/8 720 x 810 x 2015
CAPACITY cu.ft (liters)	23 648
HP	1/5
AMPS	3
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1895.00$

MERCHANDISING SLIDING GLASS DOOR REFRIGERATOR – NRJ SERIES

OUR BEST SELLER

- **Interior:** Attractive aluminum liner with stainless steel floor.
- **Exterior:** Black or white coated steel.
- **Refrigeration system.**
  Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Self-Closing double pane glass door** with positive seal.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **LED interior lighting.**
- **Electronic control system.**
  Makes it easy to adjust temperature set point and defrost frequency.
- **Leveling feet or casters are available.**
- **Removable installation board.**
  Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.**
  Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- **Very low energy comsumption.**

OUR BEST SELLER

GDC-2-53-HC BLACK

DOORS	2
SHELVES	8
DIMENSIONS (W x D x H) inches (mm)	53 1/8 x 31 7/8 x 79 3/8 1350 x 810 x 2015
CAPACITY cu.ft (liters)	45 1270
HP	1/4 +
AMPS	4.3
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2595.00$

GDC-2-53-HC WHITE

DOORS	2
SHELVES	8
DIMENSIONS (W x D x H) inches (mm)	53 1/8 x 31 7/8 x 79 3/8 1350 x 810 x 2015
CAPACITY cu.ft (liters)	45 1270
HP	1/4 +
AMPS	4.3
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2595.00$

MERCHANDISING SWING GLASS DOOR REFRIGERATOR – NRJ SERIES

R290
ECO Friendly

- **Interior:** Attractive aluminum liner with stainless steel floor.
- **Exterior:** Black or white coated steel.
- **Refrigeration system.**
  Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Self-Closing double pane glass door** with positive seal.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **LED interior lighting.**
- **Electronic control system.**
  Makes it easy to adjust temperature set point and defrost frequency.
- **Leveling feet or casters are available.**
- **Removable installation board.**
  Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.**
  Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- **Very low energy comsumption.**

GDC-2B-48-HC

DOORS	2
SHELVES	8
DIMENSIONS (W x D x H) inches (mm)	48 x 23 3/5 x 80 3/8 1220 x 650 x 2040
CAPACITY cu.ft (liters)	29 830
HP	1/4 +
AMPS	4.8
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2395.00$

GDC-2B-53-HC

DOORS	2
SHELVES	8
DIMENSIONS (W x D x H) inches (mm)	53 1/8 x 31 7/8 x 79 3/8 1350 x 810 x 2015
CAPACITY cu.ft (liters)	45 1270
HP	1/4 +
AMPS	4.3
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	Non disponible

GDC-3B-79-HC

DOORS	3
SHELVES	12
DIMENSIONS (W x D x H) inches (mm)	78 3/8 x 30 x 80 3/4 1988 x 760 x 2050
CAPACITY cu.ft (liters)	53 1500
HP	3/4
AMPS	10.7
VOLTAGE	115/60/1
PLUG TYPE	NEMA S-20P
PRIX	3795.00$

MERCHANDISING SWING GLASS DOOR FREEZER – NRJ SERIES

R290 ECO Friendly

- **Interior:** Attractive aluminum liner with stainless steel floor.
- **Exterior:** Black or white coated steel.
- **Refrigeration system.** Maintains temperatures between-10°F and 0°F (-23°C to -18°C).
- **Self-Closing double pane glass door** with positive seal.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **LED interior lighting.**
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Leveling feet or casters are available.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- **Very low energy comsumption.**

GDF-1-26-HC

DOORS	1
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	26 1/5 x 26 1/5 x 80 3/8 690 x 665 x 2040
CAPACITY cu.ft (liters)	13 368
HP	3/4
AMPS	8.8
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2395.00$

GDF-1-31-HC

DOORS	1
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	31 1/8 x 31 3/8 x 80 3/4 790 x 795 x 2050
CAPACITY cu.ft (liters)	23 648
HP	3/4
AMPS	9.4
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2995.00$

GDF-2-53-HC

DOORS	2
SHELVES	8
DIMENSIONS (W x D x H) inches (mm)	53 1/8 x 31 7/8 x 79 3/8 1350 x 810 x 2015
CAPACITY cu.ft (liters)	45 1270
HP	1
AMPS	9.2
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-20P
PRIX	

REACH-IN SOLID DOOR REFRIGERATOR – SDC SERIES

R290
ECO Friendly

- **Stainless steel interior and exterior, aluminum back.** Option of bright white aluminum interior available.
- **Refrigeration system.** Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Self-Closing doors.** With 90 degree stay-open feature. Locks and keys included.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Options:** Baking rack.
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

SDC-1-29 HC

DOORS	1
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	29 x 32 1/4 x 82 1/2 736 x 818 x 2 095
CAPACITY cu.ft (liters)	23 650
HP	1/5
AMPS	2.6
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2195.00$

SDC-2-54 HC

DOORS	2
SHELVES	6
DIMENSIONS (W x D x H) inches (mm)	54 x 32 1/4 x 82 1/2 1371 x 818 x 2095
CAPACITY cu.ft (liters)	47 1321
HP	1/4 +
AMPS	3.8
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	3095.00$

SDC-3-81 HC

DOORS	3
SHELVES	9
DIMENSIONS (W x D x H) inches (mm)	80 9/10 x 32 1/4 x 82 1/2 2054 x 818 x 2095
CAPACITY cu.ft (liters)	72 2040
HP	3/4
AMPS	9
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	3995.00$

Specifications subject to change without notice.

REACH-IN SOLID DOOR FREEZER – SDF SERIES

R290 ECO Friendly

- **Stainless steel interior and exterior, aluminum back.** Option of bright white aluminum interior available.
- **Refrigeration system.** Keeps food at safe temperatures between -8°F and 0°F (-22°C to -18°C).
- **Self-Closing doors.** With 90 degree stay-open feature. Locks and keys included.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Options:** Baking rack.
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

SDF-1-29 HC

DOORS	1
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	29 x 32 1/4 x 82 1/2 736 x 818 x 2 095
CAPACITY cu.ft (liters)	23 650
HP	1/2 +
AMPS	7.1
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2195.00$

SDF-2-54 HC

DOORS	2
SHELVES	6
DIMENSIONS (W x D x H) inches (mm)	54 x 32 1/4 x 82 1/2 1371 x 818 x 2095
CAPACITY cu.ft (liters)	47 1321
HP	1
AMPS	10.7
VOLTAGE	115/60/1
PLUG TYPE	NEMA S-20P
PRIX	3295.00$

SDF-3-81 HC

DOORS	3
SHELVES	9
DIMENSIONS (W x D x H) inches (mm)	80 9/10 x 32 1/4 x 82 1/2 2054 x 818 x 2095
CAPACITY cu.ft (liters)	72 2040
HP	1 1/4
AMPS	12
VOLTAGE	115/60/1
PLUG TYPE	NEMA S-20P
PRIX	4295.00$

Specifications subject to change without notice.

SANDWICH / SALAD PREP TABLE – PRT SERIES

R290 ECO Friendly

- **Stainless steel interior and exterior, aluminum back.** Option of bright white aluminum interior available.
- **Refrigeration system.** Keeps food at safe temperatures between 33°F and 41°F (0.5 °C to 5°C).
- **Self-Closing doors.** With 90 degree stay-open feature.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Cutting boards and pans available.**
- **Options:** Overhead shelves.
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

PRT-1-28 HC

DOORS	1
SHELVES	1
DIMENSIONS (W x D x H) inches (mm)	27 1/2 x 29 1/2 x 42 3/8 698 x 750 x 1075
CAPACITY cu.ft (liters)	5.7 160
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1545.00$

PRT-2-36 HC

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	36 1/4 x 29 1/2 x 42 3/8 920 x 750 x 1075
CAPACITY cu.ft (liters)	7.6 213
HP	1/5
AMPS	3.24
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1795.00$

PRT-2-47 HC

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	46 7/8 x 29 1/2 x 42 3/8 1188 x 750 x 1075
CAPACITY cu.ft (liters)	9.5 268
HP	1/4 +
AMPS	4.56
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1945.00$

Specifications subject to change without notice.

SANDWICH / SALAD PREP TABLE – PRT SERIES

R290 ECO Friendly

- **Stainless steel interior and exterior, aluminum back.** Option of bright white aluminum interior available.
- **Refrigeration system** keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Self-Closing doors.** With 90 degree stay-open feature.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Cutting boards and pans available.**
- **Options:** Overhead shelves.
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

PRT-2-60 HC

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	60 1/5 x 29 1/2 x 42 3/8 1529 x 750 x 1075
CAPACITY cu.ft (liters)	15 428
HP	1/4 +
AMPS	4.8
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2295.00$

PRT-3-70 HC

DOORS	3
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	70 2/5 x 29 1/2 x 42 3/8 1787 x 750 x 1075
CAPACITY cu.ft (liters)	15.5 440
HP	3/4
AMPS	8.9
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2595.00$

Specifications subject to change without notice.

MEGA TOP SANDWICH / SALAD PREP TABLE – PRTM SERIES

R290 ECO Friendly

- **Stainless steel interior and exterior, aluminum back.** Option of bright white aluminum interior available.
- **Refrigeration system.** Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Self-Closing doors.** With 90 degree stay-open feature.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Cutting boards and pans available.**
- **Options:** Overhead shelves or glasstop.
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

PRTM-1-28 HC

DOORS	1
SHELVES	1
DIMENSIONS (W x D x H) inches (mm)	27 1/2 x 34 x 45 9/10 698 x 864 x 1166
CAPACITY cu.ft (liters)	5.7 160
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1895.00$

PRTM-2-36 HC

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	36 1/4 x 34 x 45 9/10 920 x 864 x 1166
CAPACITY cu.ft (liters)	7.6 213
HP	1/5
AMPS	3.24
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	Non disponible

PRTM-2-47 HC

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	46 7/8 x 34 x 45 9/10 1188 x 864 x 1166
CAPACITY cu.ft (liters)	9.5 268
HP	1/4 +
AMPS	4.56
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2295.00$

Specifications subject to change without notice.

MEGA TOP SANDWICH / SALAD PREP TABLE – PRTM SERIES

R290 ECO Friendly

- **Stainless steel interior and exterior, aluminum back.** Option of bright white aluminum interior available.
- **Refrigeration system**. Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Self-Closing doors.** With 90 degree stay-open feature.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Cutting boards and pans available.**
- **Options:** Glass top (Amir or Subway style)
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

PRTM-2-60 HC

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	60 1/5 x 34 x 45 9/10 1529 x 864 x 1166
CAPACITY cu.ft (liters)	15 428
HP	1/4 +
AMPS	4.8
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2595.00$

PRTM-3-70 HC

DOORS	3
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	70 2/5 x 34 x 45 9/10 1787 x 864 x 1166
CAPACITY cu.ft (liters)	15.5 440
HP	3/4
AMPS	8.9
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2795.00$

Specifications subject to change without notice.

PIZZA PREP TABLE – PIZ SERIES

R290
ECO Friendly

- **Stainless steel interior and exterior, aluminum back.** Option of bright white aluminum interior available.
- **Refrigeration system.** Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Self-Closing doors.** With 90 degree stay-open feature.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Cutting boards and pans available.**
- **Options:** Overhead shelves available.
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

PIZ-1-50 HC

DOORS	1
SHELVES	1
DIMENSIONS (W x D x H) inches (mm)	49 7/8 x 31 1/2 x 42 7/8 1266 x 800 x 1088
CAPACITY cu.ft (liters)	13.8 391
HP	1/6
AMPS	2.64
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2095.00$

PIZ-2-71 HC

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	70 9/10 x 31 1/2 x 42 7/8 1800 x 800 x 1088
CAPACITY cu.ft (liters)	16.9 477
HP	1/5
AMPS	3.42
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2695.00$

PIZ-3-92 HC

DOORS	3
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	91 9/10 x 31 1/2 x 42 7/8 2334 x 800 x 1088
CAPACITY cu.ft (liters)	24.2 684
HP	1/4 +
AMPS	5.28
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	3195.00$

Specifications subject to change without notice.

CHEF BASE REFRIGERATOR – BR SERIES

R290 ECO Friendly

- **Stainless steel interior and exterior.**
  Retains attractive finish longer. Matching aluminum finished back.
- **Stainless steel top equipped with a marine edge.**
  Enables the unit's top to contain drips and spills for easy cleanup.
- **Refrigeration system.**
  Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- **Preinstalled heavy-duty casters with brakes.**
- **Heavy-duty pull handles.**
- **Electronic control system.**
  Makes it easy to adjust temperature set point and defrost frequency.
- **Removable installation board.**
  Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.**
  Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

BR-36 HC

DRAWERS	2
GN PANS	2*1/1 + 6*1/6
DIMENSIONS (W x D x H) inches (mm)	36 3/8 x 32 1/8 x 25 3/8 924 x 816 x 645
CAPACITY cu.ft (liters)	5.9 167
HP	1/6
AMPS	2.52
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2195.00$

BR-52 HC

DRAWERS	2
GN PANS	6* 1/1
DIMENSIONS (W x D x H) inches (mm)	51 7/8 x 32 1/8 x 25 3/8 1318 x 816 x 645
CAPACITY cu.ft (liters)	9.9 280
HP	1/6
AMPS	3.48
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2395.00$

BR-72 HC

DRAWERS	4
GN PANS	8* 1/1
DIMENSIONS (W x D x H) inches (mm)	72 3/8 x 32 1/8 x 25 3/8 1839 x 816 x 645
CAPACITY cu.ft (liters)	15 425
HP	1/5
AMPS	4.68
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2795.00$

Specifications subject to change without notice.

UNDERCOUNTER REFRIGERATOR – TUCR SERIES

R290
ECO Friendly

- **Stainless steel interior and exterior, aluminum back.** Option of bright white aluminum interior available.
- **Refrigeration system.** Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Self-Closing doors.** With 90 degree stay-open feature.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Options:** Overhead shelves available.
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

TUC-27R-HC

DOORS	1
SHELVES	1
DIMENSIONS (W x D x H) inches (mm)	27 x 29 1/2 x 35 1/5 685 x 750 x 895
CAPACITY cu.ft (liters)	6.3 177
HP	1/6
AMPS	1.9
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1395.00$

TUC-48R-HC

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	47 1/5 x 29 1/2 x 35 1/5 1200 x 750 x 895
CAPACITY cu.ft (liters)	12 338
HP	1/5
AMPS	2.7
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1795.00$

Specifications subject to change without notice.

UNDERCOUNTER REFRIGERATOR – TUCR SERIES

R290 ECO Friendly

- **Stainless steel interior and exterior, aluminum back.** Option of bright white aluminum interior available.
- **Refrigeration system.** Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Self-Closing doors.** With 90 degree stay-open feature.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Options:** Overhead shelves available
- **Electronic control system**. Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

TUC-60R-HC

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	60 1/5 x 29 1/2 x 35 1/5 1526 x 750 x 895
CAPACITY cu.ft (liters)	15 428
HP	1/5
AMPS	2.9
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2195.00$

TUC-72R-HC

DOORS	3
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	72 x 29 1/2 x 35 1/5 1829 x 750 x 895
CAPACITY cu.ft (liters)	15.5 440
HP	1/5
AMPS	3.2
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2495.00$

Specifications subject to change without notice.

UNDERCOUNTER FREEZER – TUCF SERIES

- **Stainless steel interior and exterior, aluminum back.** Option of bright white aluminum interior available.
- **Refrigeration system.** Keeps food at safe temperatures between -8°F and 0°F (-22°C to -18°C).
- **Self-Closing doors.** With 90 degree stay-open feature.
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

R290
ECO Friendly

TUC-27F-HC

DOORS	1
SHELVES	1
DIMENSIONS (W x D x H) inches (mm)	27 x 29 1/2 x 35 1/5 685 x 750 x 895
CAPACITY cu.ft (liters)	6.3 177
HP	1/5
AMPS	2.1
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1595.00$

TUC-48F-HC

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	47 1/5 x 29 1/2 x 35 1/5 1200 x 750 x 895
CAPACITY cu.ft (liters)	12 338
HP	1/4 +
AMPS	4.5
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2095.00$

TUC-60F-HC

DOOR	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	60 1/5 x 29 1/2 x 35 1/5 1526 x 750 x 895
CAPACITY cu.ft (liters)	15 428
HP	1/2 +
AMPS	6.36
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	Non disponible

Specifications subject to change without notice.

BACK BAR COOLER – 24" DEPTH GLASS DOOR SERIES

R290 ECO Friendly

- **Durable stainless steel top, interior walls, floor and ceiling.**
- **Exterior construction.** Attractive corrosion resistant vinyl on steel in black finish.
- **Refrigeration system.** Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.** Option of leveling feet available.
- **Self-Closing doors with locks.**
- **LED interior lighting.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

UBB-48G-HC

DOORS	2
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	48 7/8 x 24 3/8 x 35 5/8 1240 x 620 x 905
CAPACITY cu.ft (liters)	11.8 335
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1850.00$

UBB-60G-HC

DOORS	2
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	60 3/4 x 24 3/8 x 35 5/8 1544 x 620 x 905
CAPACITY cu.ft (liters)	15.8 446
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2050.00$

Specifications subject to change without notice.

BACK BAR COOLER – 24" DEPTH GLASS DOOR SERIES

R290 ECO Friendly

- **Durable stainless steel top, interior walls, floor and ceiling.**
- **Exterior construction.**
  Attractive corrosion resistant vinyl on steel in black finish.
- **Refrigeration system.**
  Keeps the drinks at safe temperatures between 33°F and 41°F (0.5 °C to 5°C).
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Electronic control system.**
  Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
  Option of leveling feet available.
- **Self-Closing doors with locks.**
- **LED interior lighting.**
- **Removable installation board.**
  Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.**
  Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

UBB-72G-HC

DOORS	3
SHELVES	6
DIMENSIONS (W x D x H) inches (mm)	72 3/4 x 24 3/8 x 35 5/8 1848 x 620 x 905
CAPACITY cu.ft (liters)	19.6 556
HP	1/4 +
AMPS	3.96
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2250.00$

UBB-91G-HC

DOORS	3
SHELVES	6
DIMENSIONS (W x D x H) inches (mm)	90 3/8 x 27 3/4 x 35 5/8 2295 x 705 x 905
CAPACITY cu.ft (liters)	32 916
HP	1/4 +
AMPS	4.7
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2950.00$

Specifications subject to change without notice.

BACK BAR COOLER – 24" DEPTH SOLID DOOR SERIES

R290 ECO Friendly

- **Durable stainless steel top, interior walls, floor and ceiling.**
- **Exterior construction.** Attractive corrosion resistant vinyl on steel in black finish.
- **Refrigeration system.** Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.** Option of leveling feet available.
- **Self-Closing doors with locks.**
- **LED interior lighting.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

UBB-48S-HC

DOORS	2
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	48 7/8 x 24 3/8 x 35 5/8 1240 x 620 x 905
CAPACITY cu.ft (liters)	11.8 335
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1850.00$

UBB-60S-HC

DOORS	2
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	60 3/4 x 24 3/8 x 35 5/8 1544 x 620 x 905
CAPACITY cu.ft (liters)	15.8 446
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2050.00$

Specifications subject to change without notice.

BACK BAR COOLER – 24" DEPTH SOLID DOOR SERIES

R290 ECO Friendly

- **Durable stainless steel top, interior walls, floor and ceiling.**
- **Exterior construction**
  Attractive corrosion resistant vinyl on steel in black finish.
- **Refrigeration system.**
  Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Electronic control system.**
  Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
  Option of leveling feet available.
- **Self-Closing doors with locks.**
- **LED interior lighting.**
- **Removable installation board.**
  Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.**
  Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

UBB-72S-HC

DOORS	3
SHELVES	6
DIMENSIONS (W x D x H) inches (mm)	72 3/4 x 24 3/8 x 35 5/8 1848 x 620 x 905
CAPACITY cu.ft (liters)	19.6 556
HP	1/4 +
AMPS	3.96
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2250.00$

UBB-92S-HC

DOORS	3
SHELVES	6
DIMENSIONS (W x D x H) inches (mm)	90 3/8 x 27 3/4 x 35 5/8 2295 x 705 x 905
CAPACITY cu.ft (liters)	32 916
HP	1/4 +
AMPS	4.7
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2950.00$

Specifications subject to change without notice.

DIRECT DRAW BEER DISPENSER – 27" DEPTH LIDB SERIES

R290 ECO Friendly

- **Durable stainless steel top, interior walls, floor and ceiling.**
- **Exterior construction.** Attractive corrosion resistant vinyl on steel in black finish.
- **Refrigeration system.** Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.** Option of leveling feet available.
- **Self-Closing doors with locks.**
- **LED interior lighting.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

UDB-1-24-HC

DOORS	1
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	23 1/2 x 30 3/8 x 38 3/4 596 x 772 x 983
CAPACITY cu.ft (liters)	6.5 1*1/2
HP	1/6
AMPS	1.92
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	1695.00$

UDB-2-59-HC

DOORS	2
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	58 7/8 x 27 3/4 x 35 5/8 1495 x 705 x 905
CAPACITY cu.ft (liters)	19 2*1/2
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	Non disponible

*Height does not include 15.8" (402mm) for draft arm.

Specifications subject to change without notice.

REFRIGERATED DELI CASE – PAT SERIES

- **Interior:** Aluminum liner with stainless steel floor.
- **Exterior:** Black or white coated steel. Stainless steel available.
- **Attractive curved glass and slidng glass doors.**
- **Rounded corner design.**
  Inside of the cabinet makes it easy to clean the inside storage room.
- **Refrigeration system.**
  Keeps the meats and deli products atsafe temperatures between 32°F and 43°F (0°C to 6°C).
- **Shelves:** Adjustable heavy-duty PVC coated shelves.
- **Electronic control system.**
  Makes it easy to adjust temperature set point and defrost frequency.
- **Preinstalled heavy-duty casters with brakes.**
- **LED interior lighting.**
- **Removable installation board.**
  Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.**
  Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- **Gravity coil:** ideal to keep your product perfect.

R290
ECO Friendly

PAT-48-HC

DOORS	2
SHELVES	6
DIMENSIONS (W x D x H) inches (mm)	47 1/4 x 32 1/2 x 42 7/8 1200 x 825 x 1089
CAPACITY cu.ft (liters)	18 508
HP	1/4 +
AMPS	2.6
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	2895.00$

PAT-83-HC

DOORS	3
SHELVES	9
DIMENSIONS (W x D x H) inches (mm)	82 x 32 1/2 x 42 7/8 2082 x 825 x 1089
CAPACITY cu.ft (liters)	32 903
HP	3/4
AMPS	5.9
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	3895.00$

Specifications subject to change without notice.

DIPPING CABINET – GC SERIES

R290 ECO Friendly

- **Stainless steel top with curved glass viewing window.** Bright white painted steel interior and exterior.
- **Transparent lids hinged with a full length handle.**
- **Refrigeration system.** Keeps ice cream at temperatures between -10°F and 5°F (-23°C to -15°C).
- **Plastic can holder for each container rack.**
- **Electronic control system.** Makes it easy to adjust temperature set point and defrost frequency.
- **LED interior lighting.**
- **Removable installation board.** Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.** Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

CG-48-HC

LIDS	1
RACKS	8
DIMENSIONS (W x D x H) inches (mm)	47 x 27 3/4 x 51 1/8 1195 x 705 x 1300
CAPACITY (3gal.cans) Display (Storage)	8 4
HP	1/4 +
AMPS	5.16
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	Sur commande seulement

CG-68-HC

LIDS	2
RACKS	12
DIMENSIONS (W x D x H) inches (mm)	67 3/4 x 27 3/4 x 51 1/8 1720 x 705 x 1300
CAPACITY (3gal.cans) Display (Storage)	12 8
HP	1/2 +
AMPS	5.64
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	Sur commande seulement

Specifications subject to change without notice.

CAKE DISPLAY CASE – CD SERIES

- **Exterior:** Stainless steel floor and walls, standard.
- **Sliding doors.**
- **Refrigeration system.**
  Maintains temperatures between 36°F and 43°F (2°C to 6°C).
- **Shelves:** Adjustable glass shelves provide extra large viewing area to maximize bakery product presentation.
- **Tempered glass:** to avoid injury by broken glass.
- **Preinstalled hidden caster design.**
- **12V LED lighting system** safe for users to operate.
- **Electronic control system.**
  Makes it easy to adjust temperature set point and defrost frequency.
- **Removable installation board.**
  Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.**
  Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- **NS F-7** compliant for open food product.

R290
ECO Friendly

CD-36-HC

DOORS	2
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	35 3/8 x 28 3/4 x 55 1/8 900 x 730 x 1400
CAPACITY cu.ft (liters)	12.7 360
HP	1/3 +
AMPS	4
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	3195.00$

CD-48-HC

DOORS	2
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	47 1/4 x 28 3/4 x 55 1/8 1200 x 730 x 1400
CAPACITY cu.ft (liters)	19.4 550
HP	1/3 +
AMPS	8.05
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	3795.00$

Specifications subject to change without notice.

CAKE DISPLAY CASE – CD SERIES

- **Exterior:** Stainless steel floor and walls, standard.
- **Sliding doors.**
- **Refrigeration system.**
  Maintains temperatures between 36°F and 43°F (2°C to 6°C).
- **Shelves:** Adjustable glass shelves provide extra large viewing area to maximize bakery product presentation.
- **Tempered glass:** Avoid injury by broken glass.
- **Preinstalled hidden caster design.**
- **12V LED lighting system** safe for users to operate.
- **Electronic control system.**
  Makes it easy to adjust temperature set point and defrost frequency.
- **Removable installation board.**
  Makes it easy to access condenser coil for cleaning and service.
- **These units use HYDRO-CARBON R290 refrigerant.**
  Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- **NS F-7** compliant for open food product.

R290
ECO Friendly

CD-60-HC

DOORS	2
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	59 1/8 x 28 3/4 x 55 1/8 1500 x 730 x 1400
CAPACITY cu.ft (liters)	25 700
HP	1/2 +
AMPS	8.3
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	Non disponible

CD-72-HC

DOORS	2
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	70 7/8 x 28 3/4 x 55 1/8 1800 x 730 x 1400
CAPACITY cu.ft (liters)	30 850
HP	1/2 +
AMPS	9.2
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	4395.00$

Specifications subject to change without notice.

ADL Restaurant equipment

1700 Boulevard des Laurentides
Laval (Québec) J4Z 0C7
CANADA

goadl.com

(450) 663-1700 (514) 875-8550 1 (800) 463-7133

facebook.com/ADLequipementderestaurant

© 2024 All rights reserved to ADL