

# REFRIGERATION EQUIPMENT







**GOADL.COM** 

## **TABLE OF CONTENTS**

MERCHANDISING SWING GLASS DOOR REFRIGERATOR - NRJ SERIES	P.04
MERCHANDISING SLIDING GLASS DOOR REFRIGERATOR - NRJ SERIES	P.05
MERCHANDISING SWING GLASS DOOR REFRIGERATOR - NRJ SERIES	. P.06
MERCHANDISING SWING GLASS DOOR FREEZER - NRJ SERLES	P.07
REACH-IN SOLID DOOR REFRIGERATOR - SDC SERIES	. P.08
REACH-IN SOLID DOOR FREEZER - SDF SERIES	. P.09
SANDWICH/ SALAD PREP TABLE - PRT SERIES	P.10
SANDWICH/ SALAD PREP TABLE - PRT SERIES	P.11
MEGA TOP SANDWICH/SALAD PREP TABLE - PRTM SERIES	P.12
MEGA TOP SANDWICH/SALAD PREP TABLE - PRTM SERIES	P.13
PIZZA PREP TABLE - PIZ SERIES	P.14
CHEF BASE REFRIGERATOR - BR SERIES	P.15
UNDERCOUNTER REFRIGERATOR - TUCR SERIES	P.16
UNDERCOUNTER REFRIGERATOR - TUCR SERIES	P.17
UNDERCOUNTER FREEZER - TUCR SERIES	P.18
BACK BAR COOLER - 24" DEPTH GLASS DOOR SERIES	P.19

PRODUCT GUIDE 2025

Update - April 2025

## **TABLE OF CONTENTS**

BACK BAR COOLER - 24* DEPTH GLASS DOOR SERIESF	2.20
BACK BAR COOLER - 24* DEPTH GLASS DOOR SERIES	P.21
BACK BAR COOLER - 24* DEPTH GLASS DOOR SERIES	P.22
DIRECT DRAW BEER DISPENSER - 27" DEPTH LIDB SERIES	P.23
REFRIGERATED DELI CASE - PAT SERIES	P.24
DIPPING CABINET - GC SERIES	P.25
CAKE DISPLAY CASE - CD SERIES	P.26
CAKE DISPLAY CASE - CD SERIES	P.27

## MERCHANDISING SWING GLASS **DOOR REFRIGERATOR - NRJ SERIES**



- · Interior: Attractive aluminum liner with stainless steel floor.
- Exterior: Black or white coated steel
- Refrigeration system. Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- · Self-Closing double pane glass door with positive seal.
- Shelves: Adjustable heavy-duty PVC coated shelves.
- · LED interior lighting.

Electronic control system.

Makes it easy to adjust temperature set point and defrost frequency.

- Leveling feet or casters are available.
- Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- · These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- · Very low energy comsumption.







### GDC-1-22-HC

DOORS	1
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	21 <sup>5</sup> / <sub>8</sub> × 21 <sup>5</sup> / <sub>8</sub> × 63 550 × 550 × 1600
CAPACITY cu.ft (liters)	9.1 258
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1295.00

GDC-1-26-HC

DOORS	1
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	26 x 25 <sup>3</sup> / <sub>5</sub> x 80 <sup>3</sup> / <sub>8</sub> 660 x 665 x 2040
CAPACITY cu.ft (liters)	14 368
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1395.00

GDC-1-29-HC

DOORS	1
SHELVES	4
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	28 <sup>3</sup> / <sub>8</sub> × 31 <sup>7</sup> / <sub>8</sub> × 79 <sup>3</sup> / <sub>8</sub> 720 × 810 × 2015
CAPACITY cu.ft (liters)	23 648
HP	1/5
AMPS	3
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1795.00

Specifications subject to change without notice

Update - April 2025

## MERCHANDISING SLIDING GLASS DOOR **REFRIGERATOR - NRJ SERIES**

**OUR BEST SELLER** 

- Interior: Attractive aluminum liner with stainless steel floor.
- Exterior: Black or white coated steel.
- Refrigeration system. Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- · Self-Closing double pane glass door with positive seal.
- · Shelves: Adjustable heavy-duty PVC coated shelves.
- LED interior lighting.

Electronic control system.

Makes it easy to adjust temperature set point and defrost frequency.

- · Leveling feet or casters are available.
- Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- · Very low energy comsumption.









### GDC-2-53-HC BLACK

DOORS	2
SHELVES	8
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	53 <sup>1</sup> / <sub>8</sub> x 31 <sup>7</sup> / <sub>8</sub> x 79 <sup>3</sup> / <sub>8</sub> 1350 x 810 x 2015
CAPACITY cu.ft (liters)	<b>45</b> 1270
HP	1/4 +
AMPS	4.3
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2495.00

### **GDC-2-53-HC WHITE**

DOORS	2
SHELVES	8
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	53 <sup>1</sup> / <sub>8</sub> x 31 <sup>7</sup> / <sub>8</sub> x 79 <sup>3</sup> / <sub>8</sub> 1350 x 810 x 2015
CAPACITY cu.ft (liters)	<b>45</b> 1270
HP	1/4 +
AMPS	4.3
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2495.00

## MERCHANDISING SWING GLASS **DOOR REFRIGERATOR - NRJ SERIES**



- · Interior: Attractive aluminum liner with stainless steel floor.
- Exterior: Black or white coated steel.
- · Refrigeration system. Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- · Self-Closing double pane glass door with positive seal.
- Shelves: Adjustable heavy-duty PVC coated shelves.
- · LED interior lighting.

Electronic control system.

Makes it easy to adjust temperature set point and defrost frequency.

- Leveling feet or casters are available.
- Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- · Very low energy comsumption.







### GDC-2B-48-HC

DOORS	2
SHELVES	8
DIMENSIONS (W x D x H) inches (mm)	48 x 23 <sup>3</sup> / <sub>5</sub> x 80 <sup>3</sup> / <sub>8</sub> 1220 x 650 x 2040
CAPACITY cu.ft (liters)	29 830
HP	1/4 +
AMPS	4.8
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2395.00

### GDC-2B-53-HC

DOORS	2
SHELVES	8
DIMENSIONS (W x D x H) inches (mm)	53 <sup>1</sup> / <sub>8</sub> × 31 <sup>7</sup> / <sub>8</sub> × 79 <sup>3</sup> / <sub>8</sub> 1350 × 810 × 2015
CAPACITY cu.ft (liters)	<b>45</b> 1270
HP	1/4 +
AMPS	4.3
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2495.00

### **GDC-3B-79-HC**

DOORS	3
SHELVES	12
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	78 <sup>3</sup> / <sub>8</sub> × 30 × 80 <sup>3</sup> / <sub>4</sub> 1988 × 760 × 2050
CAPACITY cu.ft (liters)	53 1500
HP	3/4
AMPS	10.7
VOLTAGE	115/60/1
PLUG TYPE	NEMA S-20P
PRICE	\$3795.00

Specifications subject to change without notice.

## MERCHANDISING SWING GLASS **DOOR FREEZER - NRJ SERIES**

- Interior: Attractive aluminum liner with stainless steel floor.
- Exterior: Black or white coated steel.
- Refrigeration system. Maintains temperatures between-10°F and 0°F (-23°C to -18°C).
- Self-Closing double pane glass door with positive seal.
- Shelves: Adjustable heavy-duty PVC coated shelves.
- LED interior lighting.

Electronic control system.

Makes it easy to adjust temperature set point and defrost frequency.

- · Leveling feet or casters are available.
- Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- · Very low energy comsumption.





### GDF-1-26-HC

DOORS	1
SHELVES	4
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	27 <sup>1</sup> / <sub>5</sub> × 26 <sup>1</sup> / <sub>5</sub> × 80 <sup>3</sup> / <sub>8</sub> 690 × 665 × 2040
CAPACITY cu.ft (liters)	13 368
HP	3/4
AMPS	8.8
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2195.00



### **GDF-1-31-HC**

DOORS	1
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	27 <sup>1</sup> / <sub>5</sub> × 26 <sup>1</sup> / <sub>5</sub> × 80 <sup>3</sup> / <sub>8</sub> 690 × 665 × 2040
CAPACITY cu.ft (liters)	23 648
HP	3/4
AMPS	8.4
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2695.00



### GDF-2-54-HC

DOORS	2
SHELVES	8
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	53 <sup>1</sup> / <sub>8</sub> × 31 <sup>7</sup> / <sub>8</sub> × 79 <sup>3</sup> / <sub>8</sub> 1350 × 810 × 2015
CAPACITY cu.ft (liters)	45 1270
HP	1
AMPS	9.4
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$3195.00

## **REACH-IN SOLID DOOR REFRIGERATOR - SDC SERIES**



- Stainless steel interior and exterior, aluminum back. Option of bright white aluminum interior available.
- Refrigeration system. Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- Self-Closing doors. With 90 degree stay-open feature. Locks and keys included.
- Shelves: Adjustable heavy-duty PVC coated shelves.
- Options: Baking rack.

**SDC-1-29 HC** 

### · Electronic control system. Makes it easy to adjust temperature set point and defrost frequency.

- · Preinstalled heavy-duty casters with brakes.
- Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- · These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.







## **SDC-2-54 HC SDC-3-81 HC**

DOORS	1
SHELVES	3
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	29 x 32 <sup>1</sup> / <sub>4</sub> x 82 <sup>1</sup> / <sub>2</sub> 736 x 818 x 2 095
CAPACITY cu.ft (liters)	23 650
HP	1/5
AMPS	2.6
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1895.00

DOORS	2
SHELVES	6
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	54 x 32 <sup>1</sup> / <sub>4</sub> x 82 <sup>1</sup> / <sub>2</sub> 1371 x 818 x 2095
CAPACITY cu.ft (liters)	<b>47</b> 1321
НР	1/4 +
AMPS	3.8
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2695.00

DOORS	3
SHELVES	9
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	80 <sup>9</sup> / <sub>10</sub> x 32 <sup>1</sup> / <sub>4</sub> x 82 <sup>1</sup> / <sub>2</sub> 2054 x 818 x 2095
CAPACITY cu.ft (liters)	72 2040
HP	3/4
AMPS	9
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$3795.00

Specifications subject to change without notice.

## **REACH-IN SOLID DOOR** FREEZER - SDF SERIES

- · Stainless steel interior and exterior, aluminum back. Option of bright white aluminum interior available.
- · Refrigeration system. Keeps food at safe temperatures between -8°F and 0°F (-22°C to -18°C).
- · Self-Closing doors. With 90 degree stay-open feature. Locks and keys included.
- Shelves: Adjustable heavy-duty PVC coated shelves.
- Options: Baking rack.

- Electronic control system.
- Makes it easy to adjust temperature set point and defrost frequency.
- · Preinstalled heavy-duty casters with brakes.
- Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.







### **SDF-1-29 HC**

DOORS	1
SHELVES	3
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	29 x 32 <sup>1</sup> / <sub>4</sub> x 82 <sup>1</sup> / <sub>2</sub> 736 x 818 x 2 095
CAPACITY cu.ft (liters)	23 650
HP	1/2 +
AMPS	7.1
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2095.00

### **SDF-2-54 HC**

DOORS	2
SHELVES	6
DIMENSIONS (W x D x H) inches (mm)	54 x 32 <sup>1</sup> / <sub>4</sub> x 82 <sup>1</sup> / <sub>2</sub> 1371 x 818 x 2095
CAPACITY cu.ft (liters)	<b>47</b> 1321
HP	1
AMPS	10.7
VOLTAGE	115/60/1
PLUG TYPE	NEMA S-20P
PRICE	\$2995.00

**SDF-3-81 HC** 

DOORS		3
SHELVE	S	9
DIMENS (mm)	SIONS (W x D x H) inches	80 <sup>9</sup> / <sub>10</sub> × 32 <sup>1</sup> / <sub>4</sub> × 82 <sup>1</sup> / <sub>2</sub> 2054 × 818 × 2095
CAPACI	TY cu.ft (liters)	72 2040
HP		1 1/4
AMPS		12
VOLTAG	SE .	115/60/1
PLUG T	YPE	NEMA S-20P
PRICE		\$4095.00

GOADL.COM PRODUCT GUIDE 2025 GOADL.COM PRODUCT GUIDE 2025

## SANDWICH / SALAD PREP TABLE -**PRT SERIES**

- · Stainless steel interior and exterior, aluminum back. Option of bright white aluminum interior available.
- Refrigeration system. Keeps food at safe temperatures between 33°F and 41°F (0.5 °C to 5°C)
- · Self-Closing doors. With 90 degree stay-open feature.
- Shelves: Adjustable heavy-duty PVC coated shelves.
- · Cutting boards and pans available.

- Options: Overhead shelves.
- · Electronic control system. Makes it easy to adjust temperature set point and defrost frequency.
- · Preinstalled heavy-duty casters with brakes.
- · Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.







### **PRT-1-27 HC**

DOORS	1
SHELVES	1
DIMENSIONS (W x D x H) inches (mm)	27 <sup>1</sup> / <sub>2</sub> × 29 <sup>1</sup> / <sub>2</sub> × 42 <sup>3</sup> / <sub>8</sub> 698 × 750 × 1075
CAPACITY cu.ft (liters)	5.7 160
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1595.00

PRT-2-36 HC

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	36 <sup>1</sup> / <sub>4</sub> × 29 <sup>1</sup> / <sub>2</sub> × 42 <sup>3</sup> / <sub>8</sub> 920 × 750 × 1075
CAPACITY cu.ft (liters)	7.6 213
HP	1/5
AMPS	3.24
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1795.00

PRT-2-47 HC

DOORS	2
SHELVES	2
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	46 <sup>7</sup> / <sub>8</sub> × 29 <sup>1</sup> / <sub>2</sub> × 42 <sup>3</sup> / <sub>8</sub> 1188 × 750 × 1075
CAPACITY cu.ft (liters)	9.5 268
HP	1/4 +
AMPS	4.56
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1995.00

Specifications subject to change without notice.

## SANDWICH / SALAD PREP TABLE -**PRT SERIES**



- · Stainless steel interior and exterior, aluminum back. Option of bright white aluminum interior available.
- Refrigeration system keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- Self-Closing doors. With 90 degree stay-open feature.
- Shelves: Adjustable heavy-duty PVC coated shelves.
- · Cutting boards and pans available.

- Options: Overhead shelves.
- Electronic control system. Makes it easy to adjust temperature set point and defrost frequency.
- · Preinstalled heavy-duty casters with brakes.
- Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.





### **PRT-2-60 HC**

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	60 <sup>1</sup> / <sub>5</sub> x 29 <sup>1</sup> / <sub>2</sub> x 42 <sup>3</sup> / <sub>8</sub> 1529 x 750 x 1075
CAPACITY cu.ft (liters)	15 428
HP	1/4 +
AMPS	4.8
/OLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2195.00

### PRT-3-70 HC

DOORS	3
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	70 <sup>2</sup> / <sub>5</sub> x 29 <sup>1</sup> / <sub>2</sub> x 42 <sup>3</sup> / <sub>8</sub> 1787 x 750 x 1075
CAPACITY cu.ft (liters)	15.5 440
HP	3/4
AMPS	8.9
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2395.00

## **MEGA TOP SANDWICH / SALAD PREP TABLE - PRTM SERIES**

- Stainless steel interior and exterior, aluminum back. Option of bright white aluminum interior available.
- · Refrigeration system. Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- · Self-Closing doors. With 90 degree stay-open feature.
- Shelves: Adjustable heavy-duty PVC coated shelves.
- · Cutting boards and pans available.

- Options: Overhead shelves or glasstop.
- · Electronic control system. Makes it easy to adjust temperature set point and defrost frequency.
- · Preinstalled heavy-duty casters with brakes.
- Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.







### **PRTM-1-28 HC**

DOORS	1
SHELVES	1
DIMENSIONS (W x D x H) inches (mm)	27 <sup>1</sup> / <sub>2</sub> × 34 × 45 <sup>9</sup> / <sub>10</sub> 698 × 864 × 1166
CAPACITY cu.ft (liters)	5.7 160
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1895.00

### **PRTM-2-36 HC**

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	36 <sup>1</sup> / <sub>4</sub> × 34 × 45 <sup>9</sup> / <sub>10</sub> 920 × 864 × 1166
CAPACITY cu.ft (liters)	7.6 213
HP	1/5
AMPS	3.24
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	Contact us

### **PRTM-2-47 HC**

DOORS	2
SHELVES	2
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	46 <sup>7</sup> / <sub>8</sub> × 34 × 45 <sup>9</sup> / <sub>10</sub> 1188 × 864 × 1166
CAPACITY cu.ft (liters)	9.5 268
HP	1/4 +
AMPS	4.56
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2195.00

Specifications subject to change without notice

## **MEGA TOP SANDWICH / SALAD PREP TABLE - PRTM SERIES**

- · Stainless steel interior and exterior, aluminum back. Option of bright white aluminum interior available.
- Refrigeration system. Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- · Self-Closing doors. With 90 degree stay-open feature.
- Shelves: Adjustable heavy-duty PVC coated shelves.
- · Cutting boards and pans available.

- Options: Glass top (Amir or Subway style)
- Electronic control system. Makes it easy to adjust temperature set point and defrost frequency.
- · Preinstalled heavy-duty casters with brakes.
- Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.





### **PRTM-2-60 HC**

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	60 <sup>1</sup> / <sub>5</sub> x 34 x 45 <sup>9</sup> / <sub>10</sub> 1529 x 864 x 1166
CAPACITY cu.ft (liters)	15 428
HP	1/4 +
AMPS	4.8
/OLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2395.00

### **PRTM-3-70 HC**

DOORS	3
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	70 <sup>2</sup> / <sub>5</sub> x 34 x 45 <sup>9</sup> / <sub>10</sub> 1787 x 864 x 1166
CAPACITY cu.ft (liters)	15.5 440
HP	3/4
AMPS	8.9
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2595.00

## PIZZA PREP TABLE - PIZ SERIES

- Stainless steel interior and exterior, aluminum back.
  Option of bright white aluminum interior available.
- Refrigeration system.

  Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- Self-Closing doors.
  With 90 degree stay-open feature.
- Shelves: Adjustable heavy-duty PVC coated shelves.
- · Cutting boards and pans available.

- Options: Overhead shelves available.
- Electronic control system.

  Makes it easy to adjust temperature set point and defrost frequency.
- · Preinstalled heavy-duty casters with brakes.
- Removable installation board.
   Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.









### PIZ-1-50 HC

DOORS	1
SHELVES	1
DIMENSIONS (W x D x H) inches (mm)	49 <sup>7</sup> / <sub>8</sub> × 31 <sup>1</sup> / <sub>2</sub> × 42 <sup>7</sup> / <sub>8</sub> 1266 × 800 × 1088
CAPACITY cu.ft (liters)	13.8 391
HP	1/6
AMPS	2.64
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2095.00

### PIZ-2-71 HC

DOORS	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	70 <sup>9</sup> / <sub>10</sub> × 31 <sup>1</sup> / <sub>2</sub> × 42 <sup>7</sup> / <sub>8</sub> 1800 × 800 × 1088
CAPACITY cu.ft (liters)	16.9 477
HP	1/5
AMPS	3.42
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2495.00

### PIZ-3-92 HC

DOORS	3
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	91 <sup>9</sup> / <sub>10</sub> × 31 <sup>1</sup> / <sub>2</sub> × 42 <sup>7</sup> / <sub>8</sub> 2334 × 800 × 1088
CAPACITY cu.ft (liters)	24.2 684
HP	1/4 +
AMPS	5.28
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$3095.00

Specifications subject to change without notice.

## CHEF BASE REFRIGERATOR - BR SERIES

- Stainless steel interior and exterior.

  Retains attractive finish longer. Matching aluminum finished back.
- Retains attractive finish longer. Matching aluminum finished back
- Stainless steel top equipped with a marine edge. Enables the unit's top to contain drips and spills for easy cleanup.
- Refrigeration system.

  Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Preinstalled heavy-duty casters with brakes.

· Heavy-duty pull handles.

and defrost frequency.

- Electronic control system.

  Makes it easy to adjust temperature set point
- Removable installation board.
   Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.









### BR-36 HC

DRAWERS	2
GN PANS	2*1/1 + 6*1/6
DIMENSIONS (W x D x H) inches (mm)	36 <sup>3</sup> / <sub>8</sub> × 32 <sup>1</sup> / <sub>8</sub> × 25 <sup>3</sup> / <sub>8</sub> 924 × 816 × 645
CAPACITY cu.ft (liters)	5.9 167
НР	1/6
AMPS	2.52
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2095.00

### BR-52 HC

DRAWERS	2
GN PANS	6* <sup>1</sup> /-
DIMENSIONS (W x D x H) inches (mm)	51 <sup>7</sup> / <sub>8</sub> × 32 <sup>1</sup> / <sub>8</sub> × 25 <sup>3</sup> / <sub>8</sub> 1318 × 816 × 645
CAPACITY cu.ft (liters)	9.9 280
HP	1/6
AMPS	3.48
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15F
PRICE	\$2295.00

### **BR-72 HC**

DRAWERS	4
GN PANS	8* <sup>1</sup> / <sub>1</sub>
DIMENSIONS (W x D x H) inches (mm)	72 <sup>3</sup> /8 × 32 <sup>1</sup> /8 × 25 <sup>3</sup> /8 1839 × 816 × 645
CAPACITY cu.ft (liters)	15 425
HP	1/5
AMPS	4.68
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2595.00

GOADL.COM PRODUCT GUIDE 2025 PRODUCT GUIDE 2025 GOADL.COM

## UNDERCOUNTER REFRIGERATOR - TUCR SERIES

R290 ECO Friendly

- Stainless steel interior and exterior, aluminum back.
   Option of bright white aluminum interior available.
- Refrigeration system.
   Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- Self-Closing doors.
  With 90 degree stay-open feature.
- Shelves: Adjustable heavy-duty PVC coated shelves.
- Options: Overhead shelves available.

• Electronic control system.

Makes it easy to adjust temperature set point and defrost frequency.

- Preinstalled heavy-duty casters with brakes.
- Removable installation board.
   Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.



### TUC-27R-HC

DOORS	1
SHELVES	1
DIMENSIONS (W x D x H) inches (mm)	27 x 29 <sup>1</sup> / <sub>2</sub> x 35 <sup>1</sup> / <sub>5</sub> 685 x 750 x 895
CAPACITY cu.ft (liters)	6.3 177
HP	1/6
AMPS	1.9
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1295.00



### TUC-48R-HC

DOORS       2         SHELVES       2         DIMENSIONS (W x D x H) inches (mm)       47 1/s x 29 1/2 x 35 1/s 1200 x 750 x 895         CAPACITY cu.ft (liters)       12 338         HP       1/5         AMPS       2.7         VOLTAGE       115/60/1         PLUG TYPE       NEMA 5-15P         PRICE       \$1695.00		
DIMENSIONS (W x D x H) inches (mm)     47 1/s x 29 1/2 x 35 1/s 1200 x 750 x 895       CAPACITY cu.ft (liters)     12 338       HP     1/5       AMPS     2.7       VOLTAGE     115/60/1       PLUG TYPE     NEMA 5-15P	DOORS	2
(mm)         1200 x 750 x 895           CAPACITY cu.ft (liters)         12           338         338           HP         1/5           AMPS         2.7           VOLTAGE         115/60/1           PLUG TYPE         NEMA 5-15P	SHELVES	2
CAPACITY cu.ft (liters)       338         HP       1/5         AMPS       2.7         VOLTAGE       115/60/1         PLUG TYPE       NEMA 5-15P		
AMPS 2.7  VOLTAGE 115/60/1 PLUG TYPE NEMA 5-15P	CAPACITY cu.ft (liters)	· <del>-</del>
VOLTAGE 115/60/1 PLUG TYPE NEMA 5-15P	НР	1/5
PLUG TYPE NEMA 5-15P	AMPS	2.7
	VOLTAGE	115/60/1
PRICE \$1695.00	PLUG TYPE	NEMA 5-15P
	PRICE	\$1695.00

Specifications subject to change without notice.

Update - April 2025

## UNDERCOUNTER REFRIGERATOR - TUCR SERIES



- Stainless steel interior and exterior, aluminum back.
   Option of bright white aluminum interior available.
- Refrigeration system.
  Keeps food at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- Self-Closing doors.
  With 90 degree stay-open feature.
- Shelves: Adjustable heavy-duty PVC coated shelves.
- Options: Overhead shelves available

Electronic control system.

Makes it easy to adjust temperature set point and defrost frequency.

- · Preinstalled heavy-duty casters with brakes.
- Removable installation board.
   Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.





### TUC-60R-HC

DOORS	2
SHELVES	2
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	60 <sup>1</sup> / <sub>5</sub> x 29 <sup>1</sup> / <sub>2</sub> x 35 <sup>1</sup> / <sub>5</sub> 1526 x 750 x 895
CAPACITY cu.ft (liters)	15 428
НР	1/5
AMPS	2.9
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1995.00

### TUC-72R-HC

DOORS	3
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	72 x 29 <sup>1</sup> / <sub>2</sub> x 35 <sup>1</sup> / <sub>5</sub> 1829 x 750 x 895
CAPACITY cu.ft (liters)	15.5 440
HP	1/5
AMPS	3.2
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2295.00

## **UNDERCOUNTER FREEZER - TUCF SERIES**

- Stainless steel interior and exterior, aluminum back. Option of bright white aluminum interior available.
- Refrigeration system. Keeps food at safe temperatures between -8°F and 0°F (-22°C to -18°C).
- Self-Closing doors. With 90 degree stay-open feature.
- Shelves: Adjustable heavy-duty PVC coated shelves.

Electronic control system.

Makes it easy to adjust temperature set point and defrost frequency.

- Preinstalled heavy-duty casters with brakes.
- Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.









### TUC-27F-HC

DOORS	1
SHELVES	1
DIMENSIONS (W x D x H) inches (mm)	27 x 29 1/2 x 35 1/5 685 x 750 x 895
CAPACITY cu.ft (liters)	6.3 177
HP	1/5
AMPS	2.1
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	\$1495.00

Product Guide 2025

### TUC-48F-HC

\$1995.00	2
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	47 <sup>1</sup> / <sub>5</sub> x 29 <sup>1</sup> / <sub>2</sub> x 35 <sup>1</sup> / <sub>5</sub> 1200 x 750 x 895
CAPACITY cu.ft (liters)	12 338
HP	1/4 +
AMPS	4.5
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	\$1995.00

### TUC-60F-HC

DOOR	2
SHELVES	2
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	60 <sup>1</sup> / <sub>5</sub> × 29 <sup>1</sup> / <sub>2</sub> × 35 <sup>1</sup> / <sub>5</sub> 1526 × 750 × 895
CAPACITY cu.ft (liters)	15 428
НР	1/2 +
AMPS	6.36
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRIX	Contact us

Specifications subject to change without notice.

## **BACK BAR COOLER -**24" DEPTH GLASS DOOR SERIES

- Durable stainless steel top, interior walls, floor and ceiling.
- Exterior construction. Attractive corrosion resistant vinyl on steel in black finish.
- Refrigeration system. Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- Shelves: Adjustable heavy-duty PVC coated shelves.
- and defrost frequency.
- Electronic control system. Makes it easy to adjust temperature set point

- · Preinstalled heavy-duty casters with brakes. Option of leveling feet available.
- Self-Closing doors with locks.
- · LED interior lighting.
- · Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.



### UBB-48G-HC

DOORS	2
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	48 <sup>7</sup> /8 × 24 <sup>3</sup> /8 × 35 <sup>5</sup> /8 1240 × 620 × 905
CAPACITY cu.ft (liters)	11.8 335
HP.	1/5
MPS	2.88
/OLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1795.00



### UBB-60G-HC

DOORS	2
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	60 <sup>3</sup> / <sub>4</sub> × 24 <sup>3</sup> / <sub>8</sub> × 35 <sup>5</sup> / <sub>8</sub> 1544 × 620 × 905
CAPACITY cu.ft (liters)	15.8 446
НР	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1995.00

Specifications subject to change without notice.

ADL I Restaurant Equipment 19

## **BACK BAR COOLER -**24" DEPTH GLASS DOOR SERIES



- Durable stainless steel top, interior walls, floor and ceiling.
- · Exterior construction. Attractive corrosion resistant vinyl on steel in black finish.
- Refrigeration system. Keeps the drinks at safe temperatures between 33°F and 41°F (0.5 °C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves.
- Electronic control system. Makes it easy to adjust temperature set point and defrost frequency.

- · Preinstalled heavy-duty casters with brakes. Option of leveling feet available.
- · Self-Closing doors with locks.
- · LED interior lighting.
- · Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.





### UBB-72G-HC

DOORS	3
SHELVES	6
DIMENSIONS (W x D x H) inches (mm)	72 <sup>3</sup> / <sub>4</sub> × 24 <sup>3</sup> / <sub>8</sub> × 35 <sup>5</sup> / <sub>8</sub> 1848 × 620 × 905
CAPACITY cu.ft (liters)	19.6 556
HP	1/4 +
AMPS	3.96
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2195.00

### UBB-92G-HC

DOORS	3
SHELVES	6
DIMENSIONS (W x D x H) inches (mm)	90 <sup>3</sup> / <sub>8</sub> × 27 <sup>3</sup> / <sub>4</sub> × 35 <sup>5</sup> / <sub>8</sub> 2295 × 705 × 905
CAPACITY cu.ft (liters)	<b>32</b> 916
HP	1/4 +
AMPS	4.7
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2795.00

Specifications subject to change without notice.

## **BACK BAR COOLER -**24" DEPTH SOLID DOOR SERIES

- Durable stainless steel top, interior walls, floor and ceiling.
- Exterior construction. Attractive corrosion resistant vinyl on steel in black finish.
- Refrigeration system. Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- Electronic control system. Makes it easy to adjust temperature set point
- Shelves: Adjustable heavy-duty PVC coated shelves.
- and defrost frequency.

- · Preinstalled heavy-duty casters with brakes. Option of leveling feet available.
- · Self-Closing doors with locks.
- · LED interior lighting.
- · Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.





### UBB-48S-HC

DOORS	2
SHELVES	4
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	48 <sup>7</sup> /8 × 24 <sup>3</sup> /8 × 35 <sup>5</sup> /8 1240 × 620 × 905
CAPACITY cu.ft (liters)	11.8 335
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$1795.00



### UBB-60S-HC

DOORS	
SHELVES	4
DIMENSIONS (W x D x H) inches 60 ³/4 x 24 ³/8 x 35 (mm) 1544 x 620 x 9	
CAPACITY cu.ft (liters)	5.8
HP	1/5
AMPS 2.	.88
VOLTAGE 115/60	0/1
PLUG TYPE NEMA 5-1	5P
PRICE \$1995.	.00

## **BACK BAR COOLER -**24" DEPTH SOLID DOOR SERIES



- Durable stainless steel top, interior walls, floor and ceiling.
- · Exterior construction Attractive corrosion resistant vinyl on steel in black finish.
- · Refrigeration system. Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C).
- Shelves: Adjustable heavy-duty PVC coated shelves.
- Electronic control system. Makes it easy to adjust temperature set point and defrost frequency

- · Preinstalled heavy-duty casters with brakes. Option of leveling feet available.
- · Self-Closing doors with locks.
- · LED interior lighting.
- · Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- · These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.





### UBB-72S-HC

DOORS	3
SHELVES	6
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	72 <sup>3</sup> / <sub>4</sub> × 24 <sup>3</sup> / <sub>8</sub> × 35 <sup>5</sup> / <sub>8</sub> 1848 × 620 × 905
CAPACITY cu.ft (liters)	19.6 556
HP	1/4 +
AMPS	3.96
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2195.00

### UBB-92S-HC

DOORS	3
SHELVES	6
DIMENSIONS (W x D x H) inches (mm)	90 <sup>3</sup> / <sub>8</sub> × 27 <sup>3</sup> / <sub>4</sub> × 35 <sup>5</sup> / <sub>8</sub> 2295 × 705 × 905
CAPACITY cu.ft (liters)	<b>32</b> 916
НР	1/4 +
AMPS	4.7
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2795.00

Specifications subject to change without notice

## DIRECT DRAW BEER DISPENSER -27" DEPTH LIDB SERIES

- Durable stainless steel top, interior walls, floor and ceiling.
- Exterior construction. Attractive corrosion resistant vinyl on steel in black finish.
- Refrigeration system. Keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves.
- Electronic control system. Makes it easy to adjust temperature set point and defrost frequency.

- · Preinstalled heavy-duty casters with brakes. Option of leveling feet available.
- · Self-Closing doors with locks.
- · LED interior lighting.
- · Removable installation board. Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.



### UDB-1-24-HC

DOORS	1
SHELVES	2
DIMENSIONS (W x D x H) inches (mm)	23 <sup>1</sup> / <sub>2</sub> × 30 <sup>3</sup> / <sub>8</sub> × 38 <sup>3</sup> / <sub>4</sub> 596 × 772 × 983
CAPACITY cu.ft (liters)	6.5 1*1/2
HP.	1/6
AMPS	1.92
/OLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	Contact us



### UDB-2-59-HC

DOORS	2
SHELVES	4
DIMENSIONS (W x D x H) inches (mm)	58 <sup>7</sup> / <sub>8</sub> × 27 <sup>3</sup> / <sub>4</sub> × 35 <sup>5</sup> / <sub>8</sub> 1495 × 705 × 905
CAPACITY cu.ft (liters)	19 2*1/2
HP	1/5
AMPS	2.88
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	Contact us

\*Height does not include 15.8" (402mm) for draft arm.

GOADL.COM PRODUCT GUIDE 2025 PRODUCT GUIDE 2025 GOADL.COM

## REFRIGERATED DELI CASE - PAT SERIES

- Interior: Aluminum liner with stainless steel floor.
- Exterior: Black or white coated steel. Stainless steel available.
- · Attractive curved glass and slidng glass doors.
- · Rounded corner design.

Inside of the cabinet makes it easy to clean the inside storage room.

- Refrigeration system.
- Keeps the meats and deli products at safe temperatures between 32°F and 43°F (0°C to 6°C).
- Shelves: Adjustable heavy-duty PVC coated shelves.

• Electronic control system.

Makes it easy to adjust temperature set point and defrost frequency.

- · Preinstalled heavy-duty casters with brakes.
- LED interior lighting.
- Removable installation board.

  Makes it easy to access condenser coil for cleaning and service.
- wakee it easy to access contact tool control clear in ig and control

These units use HYDRO-CARBON R290 refrigerant.
 Which is environmentally friendly and more efficient than R134a/R404a refrigerant.

• Gravity coil: ideal to keep your product perfect.



### PAT-48-HC

DOORS	2
SHELVES	6
DIMENSIONS (W $\times$ D $\times$ H) inches (mm)	47 <sup>1</sup> / <sub>4</sub> × 32 <sup>1</sup> / <sub>2</sub> × 42 <sup>7</sup> / <sub>8</sub> 1200 × 825 × 1089
CAPACITY cu.ft (liters)	18 508
НР	1/4 +
AMPS	2.6
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2695.00

### PAT-83-HC

DOORS	3
SHELVES	9
DIMENSIONS (W x D x H) inches (mm)	82 x 32 <sup>1</sup> / <sub>2</sub> x 42 <sup>7</sup> / <sub>8</sub> 2082 x 825 x 1089
CAPACITY cu.ft (liters)	<b>32</b> 903
HP	3/4
AMPS	5.9
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$3695.00

Specifications subject to change without notice.

## **DIPPING CABINET - GC SERIES**

- Stainless steel top with curved glass viewing window.
   Bright white painted steel interior and exterior.
- Transparent lids hinged with a full length handle.
- Refrigeration system.

  Keeps ice cream at temperatures between

-I0°F and 5°F (-23°C to -15°C).

• Plastic can holder for each container rack.

· Electronic control system.

Makes it easy to adjust temperature set point and defrost frequency.

- · LED interior lighting.
- Removable installation board.

  Makes it easy to access condenser coil for cleaning and service.
- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.





LIDS	1
RACKS	8
DIMENSIONS (W x D x H) inches (mm)	47 x 27 <sup>3</sup> / <sub>4</sub> x 51 <sup>1</sup> / <sub>8</sub> 1195 x 705 x 1300
CAPACITY (3gal.cans) Display (Storage)	8 4
HP	1/4 +
AMPS	5.16
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	Contact us



### CG-68-HC

LIDS	2
RACKS	12
DIMENSIONS (W x D x H) inches (mm)	67 <sup>3</sup> / <sub>4</sub> × 27 <sup>3</sup> / <sub>4</sub> × 51 <sup>1</sup> / <sub>8</sub> 1720 × 705 × 1300
CAPACITY (3gal.cans) Display (Storage)	12 8
HP	1/2 +
AMPS	5.64
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	Contact us

Specifications subject to change without notice.

Product Guide 2025

ADL I Restaurant Equipment

Update - April 2025

## CAKE DISPLAY CASE - CD SERIES

- Exterior: Stainless steel floor and walls, standard.
- Sliding doors.
- Refrigeration system. Maintains temperatures between 36°F and 43°F (2°C to 6°C).
- Shelves: Adjustable glass shelves provide extra large viewing area to maximize bakery product presentation.
- Tempered glass: to avoid injury by broken glass.
- Preinstalled hidden caster design.

- 12V LED lighting system safe for users to operate.
- · Electronic control system.

Makes it easy to adjust temperature set point and defrost frequency.

Removable installation board.

Makes it easy to access condenser coil for cleaning and service.

- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- NS F-7 compliant for open food product.







### CD-36-HC

DOORS	2
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	35 <sup>3</sup> / <sub>8</sub> x 28 <sup>3</sup> / <sub>4</sub> x 55 <sup>1</sup> / <sub>8</sub> 900 x 730 x 1400
CAPACITY cu.ft (liters)	12.7 360
НР	1/3 +
AMPS	4
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$2995.00

### CD-48-HC

DOORS	2
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	47 <sup>1</sup> / <sub>4</sub> × 28 <sup>3</sup> / <sub>4</sub> × 55 <sup>1</sup> / <sub>8</sub> 1200 × 730 × 1400
CAPACITY cu.ft (liters)	19.4 550
HP	1/3 +
AMPS	8.05
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$3495.00

Specifications subject to change without notice.

Update - April 2025

## **CAKE DISPLAY CASE - CD SERIES**

- Exterior: Stainless steel floor and walls, standard.
- Sliding doors.
- Refrigeration system.

Maintains temperatures between 36°F and 43°F (2°C to 6°C).

- Shelves: Adjustable glass shelves provide extra large viewing area to maximize bakery product presentation.
- Tempered glass: Avoid injury by broken glass.
- Preinstalled hidden caster design.

- 12V LED lighting system safe for users to operate.
- Electronic control system.

Makes it easy to adjust temperature set point and defrost frequency.

Removable installation board.

Makes it easy to access condenser coil for cleaning and service.

- These units use HYDRO-CARBON R290 refrigerant. Which is environmentally friendly and more efficient than R134a/R404a refrigerant.
- NS F-7 compliant for open food product.



### CD-60-HC

DOORS	2
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	59 <sup>1</sup> / <sub>8</sub> × 28 <sup>3</sup> / <sub>4</sub> × 55 <sup>1</sup> / <sub>8</sub> 1500 × 730 × 1400
CAPACITY cu.ft (liters)	25 700
HP	1/2 +
AMPS	8.3
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	Contact us

### **CD-72-HC**

DOORS	2
SHELVES	3
DIMENSIONS (W x D x H) inches (mm)	70 <sup>7</sup> /a × 28 <sup>3</sup> / <sub>4</sub> × 55 <sup>1</sup> / <sub>8</sub> 1800 × 730 × 1400
CAPACITY cu.ft (liters)	<b>30</b> 850
HP	1/2 +
AMPS	9.2
VOLTAGE	115/60/1
PLUG TYPE	NEMA 5-15P
PRICE	\$4195.00



ADL Restaurant equipment

1700 Boulevard des Laurentides Laval (Québec) J4Z 0C7 CANADA

- goadl.com
- **(**450) 663-1700 (514) 875-8550 1 (800) 463-7133
- f facebook.com/ADLequipementderestaurant

© 2024 All rights reserved to ADL